

Evaluation and Treatment of Peripheral Vestibular Dysfunction:

Demystifying Benign Paroxysmal Positional Vertigo (BPPV)

David Wilkenfeld, EdD, LAT, ATC
Moravian College




Dix-Hallpike Test



Side-Lying Test for left-sided BPPV



Epley Maneuver



Kim J, Zee DS. Clinical practice. Benign paroxysmal positional vertigo. *N Engl J Med*. 2014;370(12):1138-1147.


Semont Maneuver

LT posterior canal BPPV



RT posterior canal BPPV

★ Head turned towards unaffected side



Nguyen-Huynh, AT. Evidence-based practice: management of vertigo. Otolaryngol Clin North Am 2012;45(5):925-940.

Gufoni Maneuver


RT
geotropic
horizontal
canal
BPPV




RT
apogeotropic
horizontal
canal BPPV



RT geotropic



LT geotropic



Nguyen-Huynh, AT. Evidence-based practice: management of vertigo. Otolaryngol Clin North Am 2012;45(5):925-940.

References

1. Bhattacharyya N, Gubbels SP, Schwartz SR, Edlow JA, El-Kashlan H, et al. Clinical practice guideline: Benign paroxysmal positional vertigo (Update). *Otolaryngology–Head and Neck Surgery*. 2017;156(3S):S1-S47.
2. Brandt T, Daroff RB. Physical therapy for benign paroxysmal positional vertigo. *Arch Otolaryngol*. 1980;106:484-485.
3. Brandt T, Steddin S, Daroff RB. Therapy for benign paroxysmal positioning vertigo, revisited. *Neurology*. 1994;44:796-800
4. Casani AP, Nacci A, Dallan I, Panicucci E, Gufoni M, Sellari-Franceschini S. Horizontal semicircular canal benign paroxysmal positional vertigo: effectiveness of two different methods of treatment. *Audiol Neurotol*. 2011;16:175-184.
5. Cawthorne T. The physiologic basis for head exercises. *J Chart Soc Physiother*. 1944;30:106-107
6. Cote P, Kreitz BG, Cassidy D, Thiel H. The validity of the extension-rotation test as a clinical screening procedure before neck manipulation: a secondary analysis. *Journal of Manipulative and Physiological Therapeutics*. 1996;19:159-164.
7. Guskiewicz KM, Ross SE, Marshall SW. Postural stability and neuropsychological deficits after concussion in collegiate athletes. *J Athl Train* 2001;36:263-73
8. Han BI, Song HS, Kim JS. Vestibular rehabilitation therapy: review of indications, mechanisms, and key exercises. *J Clin Neurol*. 2011;7:184-196
9. Hilton MP, Pinder DK. The Eply (canalith repositioning) manoeuvre for benign paroxysmal positional vertigo. *Cochrane Database Syst Rev*. 2014;12:CD003162.
10. Hoseinabadi R, Pourbakht A, Yazdani N, Kouhi A, Kamali M, et al. The effects of vestibular rehabilitation on benign paroxysmal positional vertigo recurrence rate in patients with otolith dysfunction. *J Audiol Otol*. 2018;22(4):204-208
11. Kim J, Zee DS. Clinical practice. Benign paroxysmal positional vertigo. *N Engl J Med*. 2014;370(12):1138-1147.
12. Lee SH, Kim JS. Benign paroxysmal positional vertigo. *J Clin Neurol*. 2010;6(2):51-63.
13. Pérez P, Franco V, Cuesta P, Aldama P, Alvarez MJ, Méndez JC. Recurrence of benign paroxysmal positional vertigo. *Otol Neurotol*. 2012;33(3):437-443.
14. Mucha A, Collins MW, Elbin R.J., Furman JM, Troutman-Enseki C, DeWolf RM, Marchetti G, Kontos AP. A brief vestibular/ocular motor screening (VOMS) assessment to evaluate concussions. *Am J Sports Med*. 2014;42(10):2479-2486.
15. Nguyen-Huynh, AT. Evidence-based practice: management of vertigo. *Otolaryngol Clin North Am*. 2012;45(5):925-940.

Special Thanks....



Ashley Gray, MS, LAT, ATC

Questions?



David Wilkenfeld, EdD, LAT, ATC
wilkenfeldd@moravian.edu